

12NC/Fx: F153943

GTIN (EAN) code: 8050147539439

DIMENSION		UR
OVERALL CABINET		
/IN Height of the wall cabinet niche, including all required space for installation or ventilatio	n 0	mm
/IN Height of the tall cabinet niche, including all required space for installation or ventilation	595	mm
/IN Height of the base cabinet niche, including all required space for installation or ventilation	on 600	mm
IAX Height of the wall cabinet niche, including all required space for installation or ventilation	on O	mm
AX Height of the tall cabinet niche, including all required space for installation or ventilation	n 597	mm
AX Height of the base cabinet niche, including all required space for installation or ventilat	ion 601	mm
/IN Width of the wall cabinet niche, including all required space for installation or ventilation	0	mm
/IN Width of the tall cabinet niche, including all required space for installation or ventilation	560	mm
/IN Width of the base cabinet niche, including all required space for installation or ventilatio	n 560	mm
AX Width of the wall cabinet niche, including all required space for installation or ventilatio	n 0	mm
AX Width of the tall cabinet niche, including all required space for installation or ventilation	568	mm
AX Width of the base cabinet niche, including all required space for installation or ventilation	on 568	mm
/IN Depth of the wall cabinet niche, including all required space for installation or ventilatior	n 0	mm
/IN Depth of the tall cabinet niche, including all required space for installation or ventilation	500	mm
/IN Depth of the base cabinet niche, including all required space for installation or ventilation	n 500	mn
Space in front, which is required to install bottom trim	0	mn
ndicates whether a ventilation opening is needed or not. Default is "N"	Yes	
VALL CABINET (vent-shaft incoming)		
ndicates the position of the freespace for the inbound airflow (wall cabinet)	-	
/inimum space or inbound ventilation (wall cabinet)	0	mn
/inimum area for inbound ventilation cavity (wall cabinet)	0	cm
VALL CABINET (vent-shaft outgoing)		
ndicates the position of the freespace for the outbound airflow (wall cabinet)	-	
/inimum space or outbound ventilation (wall cabinet)	0	mm
/inimum area for outbound ventilation cavity (wall cabinet)	0	cm
ALL CABINET (vent-shaft incoming)		
ndicates the position of the freespace for the inbound airflow (tall cabinet)	Rear	
/inimum space for inbound ventilation (tall cabinet)	50	mm
/inimum area for inbound ventilation cavity (tall cabinet)	280	cm
ALL CABINET (vent-shaft outgoing)	200	om
ndicates the position of the freespace for the outbound airflow (tall cabinet)	_	
Animum space for outbound ventilation (tall cabinet)	0	mn
Animum area for outbound ventilation cavity (tall cabinet)	0	cm
BASE CABINET (vent-shaft incoming)	Ŭ	om
ndicates the position of the freespace for the inbound airflow (base cabinet)	Rear	
Animum space for inbound ventilation (base cabinet)	50	mm
Inimum area for inbound ventilation cavity (base cabinet)	280	cm
BASE CABINET (vent-shaft outgoing)	200	UII
ndicates the position of the freespace for the outbound airflow (base cabinet)		
Animum space for outbound ventilation (base cabinet)	- 0	mr
	0	mn cm

DIMENSION M		EASURE	
APPLIANCE			
Height of the front	594	mn	
Width of the front	594	mn	
Depth of the front	21	mr	
Maximum depth all protruding elements, e.g. handles, controls	0	mn	
Lateral clearance between front edge and most protruding elements which avoid to open a neighbour front more than 90 degrees	0	mn	
Projection of front in relation to housing of appliance	0	mn	
Projection of front in relation to bearing area of the appliance. Taken at minimum height of appliance, if height is adjustable	0	mn	
When product panel is missing, set to 0	0	mn	
Space in front, which is required to guarantee full operability. The most protruding part gives this dimension	0	mn	
Height from bearing area of appliances and lower handle	0	mr	
Frontal handle thickness	0	mr	
Frontal handle width	0	mr	
MIN Height of the product body	594	mr	
MAX Height of the product body	594	mr	
Width of the product body	540	mr	
Depth of the product body	535	mr	
Full depth of product excluding protruding interface elements	556	mr	
Appliance can be used as base for other appliances from the same manufacturer. Default is "No"	No		
Appliance Flap door			
Projection of the opened flap in relation to bearing area	0	mr	
Maximum angle when flap door is opened totally	89	mn	
Appliance Side swing door			
Lateral projection of front incl. controls when door is opened totaly. At the side where the hinge is mounted	0	mr	
Lateral projection of opened front at the side where the hinge is fixed	0	mr	
Maximum angle when door is opened totally	0	mr	
Appliance other			
Depth from front end of the niche to the front end of the freespace of the retrace	535	mr	
Height from niche to bottom end of freespace for the retrace	0	mr	