

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: [RIA254] 484000008832 [RIA250] 484000008830
Product name Dishwasher rinse aid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Rinse aid for dishwashers

1.3. Details of the supplier of the safety data sheet

Name Beko Italy Manufacturing Srl
Full address Via Varesina, 204
District and Country 20156 Milano – Italy
e-mail address of the competent person responsible for the Safety Data Sheet sds@dgsasrl.it

1.4. Emergency telephone number

For urgent inquiries refer to ENGLAND, SCOTLAND (NHS 24) WALES (NHS Direct Wales) - For medical advice contact 111

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary

statements:

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Ingredients according to Regulation (EC) No. 648/2004

5% or over but less than 15%: Non-ionic surfactants. Other components: Perfumes

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0.1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Water

CAS: 7732-18-5 $79 \leq x < 81$ Not Classified

EC: 686-299-4

Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether

CAS: 166736-08-9 9,5 ≤ x < 9,7 Eye Irrit. 2 H319, Skin Irrit. 2 H315

EC: 605-450-7

RRN: 02-2119630747-33

Citric acid

CAS: 77-92-9 4,75 ≤ x < 4,85 Eye Irrit. 2 H319, STOT SE 3 H335

EC: 201-069-1

INDEX: 607-750-00-3

RRN: 01-2119457026-42

Sodium (xylenes and 4-ethylbenzene)sulfonate

CAS: 1300-72-7 1,67 ≤ x < 1,72 Eye Irrit. 2 H319

EC: 215-090-9

RRN: 01-2119513350-56

Sodium citrate

CAS: 68-04-2 0,45 ≤ x < 0,55 Not Classified

EC: 200-675-3

RRN: 01-2119457027-40

1H-Indene-1,3(2H)-dione, 2-(2-quinoliny)-, sulfonated, sodium salts

CAS: 95193-83-2 0,08 ≤ x < 0,1 Not Classified

EC: 305-897-5

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

sodium (xylenes and 4-ethylbenzene)sulfonate

Temperatures between 0 °C and 40 °C

Storage class TRGS 510 (Germany): 10

7.3. Specific end use(s)

See Subsection 1.2

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56

CITRIC ACID

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	2		4 (C)		INHAL
Predicted no-effect concentration - PNEC						
Normal value in fresh water				NPI		
Normal value in marine water				NPI		
Normal value for fresh water sediment				NPI		
Normal value for marine water sediment				NPI		
Normal value for water, intermittent release				NPI		
Normal value for marine water, intermittent release				NPI		
Normal value for fresh water, intermittent release				NPI		
Normal value of STP microorganisms				NPI		
Normal value for the food chain (secondary poisoning)				NPI		
Normal value for the terrestrial compartment				NPI		
Normal value for the atmosphere				NPI		

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		NPI				
Inhalation	LOW	NPI	NPI	NEA	LOW	NPI	NPI	NPI
Skin	NPI	NPI	NPI	NPI	NPI	NPI	NPI	NPI

sodium (xylenes and 4-ethylbenzene)sulfonate

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,23	mg/l
Normal value for water, intermittent release	2,3	mg/l
Normal value of STP microorganisms	100	mg/l

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				3,8 mg/kg bw/d				
Inhalation				13,3 mg/m3				53,6 mg/m3
Skin			0,048 mg/kg bw/d	3,8 mg/kg bw/d			0,096 mg/kg bw/d	7,6 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	yellow	
Odour	Citrus fruits	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	3	
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1,02	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 9,60 % - 98,29 g/litre

VOC (volatile carbon) 0,48 % - 4,91 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

2-propelleptanol, Ethosspropoxylate

LD50 (Oral):

> 2000 mg/kg Metodo: OECD 423

CITRIC ACID

LD50 (Dermal):

2000 mg/kg

LD50 (Oral):

5400 mg/kg Rat

sodium (xylenes and 4-ethylbenzene)sulfonate

LD50 (Dermal):

> 2000 mg/kg

LD50 (Oral):

> 7200 mg/kg

LC50 (Inhalation vapours):

> 6,41 mg/l/4h

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

CITRIC ACID

LC50 - for Fish

100 mg/l/96h

EC50 - for Crustacea

50 mg/l/48h

2-propelleptanol, Ethosspropoxylate

LC50 - for Fish

> 10 mg/l/96h OECD 203; ISO 7346; 92/69/CEE, C.1

EC50 - for Crustacea

> 10 mg/l/48h OECD - linea guida 202, parte 1

EC50 - for Algae / Aquatic Plants

> 10 mg/l/72h OECD - linea guida 201

EC10 for Algae / Aquatic Plants

> 1 mg/l/72h OECD - linea guida 201

sodium (xylenes and 4-ethylbenzene)sulfonate

LC50 - for Fish

> 1000 mg/l/96h Eq. o sim. EPA OTS 797.1400; Oncorhynchus mykiss

EC50 - for Crustacea

> 1000 mg/l/48h EPA OTS 797.1300; Daphnia magna

Chronic NOEC for Algae / Aquatic Plants

31 mg/l EPA OTS 797.1050; Pseudokirchneriella subcapitata

12.2. Persistence and degradability

CITRIC ACID

Solubility in water

592 g/l @ 20 °C

Rapidly degradable

sodium (xylenes and 4-ethylbenzene)sulfonate
Solubility in water 664 g/l
Rapidly degradable

12.3. Bioaccumulative potential

CITRIC ACID
Partition coefficient: n-octanol/water -1,6 Log Kow
BCF 3,2
sodium (xylenes and 4-ethylbenzene)sulfonate
Partition coefficient: n-octanol/water -3,12 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product:

Point 3

Contained substance

Point 75 CITRIC ACID REACH Reg.: 01-2119457026-42

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

CITRIC ACID

SECTION 16. Other information

This Safety Data Sheet has been drawn up on the basis of the information contained in the SDS (Rev.6 of 10/17/2019) of the mixture Supplier

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.













EN	Ingredient data sheet REGULATION (EC) No 648/2004
IT	Scheda degli ingredienti REGOLAMENTO (CE) N. 648/2004
FR	Fiche d'information sur les composants RÈGLEMENT (CE) No 648/2004
DE	Datenblatt über Inhaltsstoffe VERORDNUNG (EG) Nr. 648/2004
ES	Hoja informativa de ingredientes REGLAMENTO (CE) No 648/2004
PL	Arkusz danych składników ROZPORZĄDZENIE (WE) NR 648/2004
PT	Ficha de informação relativa aos ingredientes REGULAMENTO (CE) N.o 648/2004
NL	Gegevensblad betreffende bestanddelen VERORDENING (EG) Nr. 648/2004
CS	Datový list složek NAŘÍZENÍ EVROPSKÉHO PARLAMENTU A RADY (ES) č. 648/2004
EL	Δελτίο στοιχείων συστατικών ΚΑΝΟΝΙΣΜΟΣ (ΕΚ) αριθ. 648/2004
HU	Az összetevőket ismertető adatlap AZ EURÓPAI PARLAMENT ÉS A TANÁCS 648/2004
RO	Fișa tehnică privind elementele componente REGULAMENTUL (CE) NR. 648/2004
SK	Zoznam zložiek NARIADENIE EURÓPSKEHO PARLAMENTU A RADY (ES) č. 648/2004
SL	Seznam sestavin UREDBA (ES) št. 648/2004
FI	Luettelo ainesosista EUROOPAN PARLAMENTIN JA NEUVOSTON ASETUS (EY) N:o 648/2004
SV	Faktablad över beståndsdelar EUROPAPARLAMENTETS OCH RÅDETS FÖRORDNING (EG) nr 648/2004
HR	Popis sastojaka UREDBA (EZ) br. 648/2004

AQUA
PEG/PPG-8/2-PROPYLHEPTYLETHET
CITRIC ACID
SODIUM XILENESULFONATE
SODIUM CITRATE
parfum
colorant

<https://ec.europa.eu/growth/tools-databases/cosing>

Emergency telephone numbers

For urgent safety information call the Anti-Poison Centre of your country:

	COUNTRY	CUSTOMER SERVICE NR.	ANTI-POISON CENTRE NR.
	AUSTRIA	(0043) 050 6700 2111	(0043) 01 406 43 43
	BELGIUM	(0032) 02 263 3333	(0032) 070 245 245
	BULGARIA	(00359) 0700 100 68	(00359) 2 9154 409
	CROATIA	(00385) 0130 40 333	(00385) 1 2348 342
	CZECK REP.	(00420) 840 111 313	(00420) 224 919 293 / +420 224 915 402
	DENEMARK	(0045) 448 802 22	(0045) 8212 1212
	FINLAND	(09) 61336 235	(09) 471977
	FRANCE	(0033) 09 69 39 1234	(0033) 01 4542 5959
	GERMAN	(0049) 0711 93533655	(0049) 0551 19240
	GREECE	(0030) 210 994 6400	(0030) 210 779 3777
	HOLLAND	(0031) 076 5306400	(0031) 030 274 8888
	HUNGARY	(0036) 1 999 5000	(0036) 802 011 99
	IRELAND	(00353) 0844 815 8989	(00353) 1 809 2566 / (00353) 1 837 9964
	ITALY	(0039) 02 20 30	Tel. (+39) 06.6859.3726 - Roma Tel. (+39) 06.4997.8000 - Roma Tel. (+39) 06.305.4343 - Roma Tel. 800.183.459 - Foggia Tel. (+39) 081.545.3333 - Napoli Tel. (+39) 055.794.7819 - Firenze Tel. (+39) 0382.24.444 - Pavia Tel. (+39) 02.66.1010.29 - Milano Tel. 800.88.33.00 - Bergamo Tel. 800.011.858 - Verona
	KAZAKISTAN	(007) 8 800 100 5731	(007) 3272 925 868
	NORWAY	(0047) 227 82580	(0047) 225 913 00
	POLAND	(0048) 801 900 666	(0048) 124 119 999
	PORTUGAL	(00351) 707 203 204	(00351) 808 250 143
	ROMANIAN	(0040) 0372 117 745	(0040) 213 183 606
	RUSSIA	(007) 8 800 3333 887	(007) 343 229 9857 (007) 495 628 1687 (007) 921 757 3228
	SERBIA	(00381) 11 30 65 674	(00381) 11 3608 440
	SLOVAKIA	(00421) 0850 003 007	(00421) 2 5477 4166
	SPAIN	(0034) 902 203 204	(0034) 91 562 0420
	SWEDEN	(0046) 0771 751570	(0046) 010 456 6700; 112 (national callers)
	SWISS	(0041) 0848 801 005	(0041) 44 251 51 51 (dial 145)
	UK	(0044) 0844 815 8989	(0044) 844 892 0111
	TURKEY	(0044) 0844 815 8989	(0044) 844 892 0111
	UCRAIN	(00380) 0 800 30 20 30	(00380) 44 258 4773