Revision nr 2
Revision date 27/02/2023
Replaces Revision:1
(Revision date: 22/10/2020)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code:	[ACD100] – 488000642304	[ACD200] 488000668765
Product name	BROMOSPRAY DISINFECTANT 400 ml	
UFI :	ME20-30SG-E00T-6EVC	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Disinfectant for air conditioning and fabrics

1.3. Details of the supplier of the safety data sheet

Name	Beko Italy Manufacturing Srl
Full address	Via Varesina, 204
District and Country	20156 Milano – Italy

e-mail address of the competent person responsible for the Safety Data Sheet: sds@dgsasrl.it

1.4. Emergency telephone number

For urgent inquiries refer to: ENGLAND, SCOTLAND (NHS 24) WALES (NHS Direct Wales) - For medical advice contact 111

SECTION 2. Hazards identification


2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.
Hazard classification and indication:

Aerosol, category 1	H222	Extremely flammable aerosol.
	H229	Pressurised container: may burst if heated.
Eye irritation, category 2	H319	Causes serious eye irritation.
Specific target organ toxicity - single exposure, category 3	H336	May cause drowsiness or dizziness.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.
Hazard pictograms:



Signal words:

Hazard statements:

H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.
P501	Dispose of contents / container in accordance with regulation in force.
P211	Do not spray on an open flame or other ignition source.
P405	Store locked up.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Contains:	PROPAN-2-OL

2.3. Other hazards
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.
The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients
3.2. Mixtures
Contains:

Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)
Hydrocarbons, C3-4			
INDEX	649-199-00-1	66 ≤ x < 70	Flam. Gas 1A H220, Press. Gas (Liq.) H280
EC	270-681-9		
CAS	68476-40-4		
REACH Reg.	01-2119486557-22		
PROPAN-2-OL			
INDEX	603-117-00-0	28,5 ≤ x < 30	Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336
EC	200-661-7		
CAS	67-63-0		
REACH Reg.	01-2119457558-25		
Didecyldimethylammonium chloride			
INDEX	-	0,3 ≤ x < 0,35	Acute Tox. 3 H301, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic Chronic
EC	230-525-2		1 H410 M=1
CAS	7173-51-5		STA Oral: 100 mg/kg
REACH Reg.	01-2119945987-15		

The full wording of hazard (H) phrases is given in section 16 of the sheet.
The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.
Percentage of propellants: 68,00 %

SECTION 4. First aid measures
4.1. Description of first aid measures
EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.
SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.
INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.
INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed
Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed
Information not available

SECTION 5. Firefighting measures
5.1. Extinguishing media
SUITABLE EXTINGUISHING EQUIPMENT
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

5.2. Special hazards arising from the substance or mixture
HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters
GENERAL INFORMATION
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS
Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures
Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions
Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up
Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections
Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage
7.1. Precautions for safe handling
Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities
Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.
Storage class TRGS 510 (Germany):2B

7.3. Specific end use(s)
See Subsection 1.2

SECTION 8. Exposure controls/personal protection
8.1. Control parameters
Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
	TLV-ACGIH	ACGIH 2021

Hydrocarbons, C3-4

Health - Derived no-effect level - DNEL / DMEL

	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation								2,21 mg/m3
Skin								23,4 mg/kg bw/d

PROPAN-2-OL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	CZE	500	200	1000	400	
AGW	DEU	500	200	1000	400	
MAK	DEU	500	200	1000	400	
VLA	ESP	500	200	1000	400	
VLEP	FRA			980	400	
TLV	GRC	980	400	1225	500	
TGG	NLD	650				
NDS/NDSCh	POL	900		1200		SKIN
NPEL	SVK	500	200	1000	400	
WEL	GBR	999	400	1250	500	
TLV-ACGIH		492	200	983	400	

Didecyldimethylammonium chloride

Predicted no-effect concentration - PNEC		
Normal value in fresh water	1,1	µg/L
Normal value in marine water	110	ng/L
Normal value for fresh water sediment	61,86	mg/kg/d
Normal value for marine water sediment	6,186	mg/kg/d
Normal value for marine water, intermittent release	210	ng/L
Normal value for fresh water, intermittent release	21	ng/L

Normal value of STP microorganisms	140	µg/L
Normal value for the food chain (secondary poisoning)	NPI	
Normal value for the terrestrial compartment	1,4	mg/kg/d

Health - Derived no-effect level - DNEL / DMEL

	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		NPI				
Inhalation	NPI	NPI	NPI	NPI	MED	NPI	MED	NPI
Skin	NPI	NPI	NPI	NPI	MED	NPI	LOW	NPI

Legend:
(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.
When choosing personal protective equipment, ask your chemical substance supplier for advice.
Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION
None required.

SKIN PROTECTION
Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387).
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with wastewater or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	aerosol	
Colour	colourless	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	< 35 °C	
Flammability	not available	
Lower explosive limit	1,8 % (v/v)	
Upper explosive limit	9,5 % (v/v)	
Flash point	not applicable	
Auto-ignition temperature	405 °C	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	0,59	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	97,00 %	-	576,38	g/litre
VOC (volatile carbon)	72,89 %	-	433,08	g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity
There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability
The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions
No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid
Avoid overheating.

10.5. Incompatible materials
Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products
Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information
Information not available

Information on likely routes of exposure
Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Information not available

Interactive effects
Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)

\# PROPAN-2-OL

LD50 (Dermal):	12800 mg/kg Rat
LD50 (Oral):	4710 mg/kg Rat
LC50 (Inhalation vapours):	72,6 mg/l/4h Rat

\# Didecyldimethylammonium chloride

LD50 (Dermal):	3342 mg/kg
LD50 (Oral):	328 mg/kg
STA (Oral):	100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (Figure used for calculation of the acute toxicity estimate of the mixture)

SKIN CORROSION / IRRITATION
Does not meet the classification criteria for this hazard class
SERIOUS EYE DAMAGE / IRRITATION
Causes serious eye irritation
RESPIRATORY OR SKIN SENSITISATION
Does not meet the classification criteria for this hazard class
GERM CELL MUTAGENICITY
Does not meet the classification criteria for this hazard class
CARCINOGENICITY
Does not meet the classification criteria for this hazard class
REPRODUCTIVE TOXICITY
Does not meet the classification criteria for this hazard class
STOT - SINGLE EXPOSURE
May cause drowsiness or dizziness
STOT - REPEATED EXPOSURE
Does not meet the classification criteria for this hazard class
ASPIRATION HAZARD
Does not meet the classification criteria for this hazard class

11.2. Information on other hazards
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

Hydrocarbons, C3-4

LC50 - for Fish	24,11 mg/l/96h
EC50 - for Algae / Aquatic Plants	7,71 mg/l/72h

Didecyldimethylammonium chloride

LC50 - for Fish	490 mg/l/96h
EC50 - for Crustacea	0,029 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,062 mg/l/72h
EC10 for Algae / Aquatic Plants	0,021 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	0,011 mg/l

12.2. Persistence and degradability

PROPAN-2-OL

Rapidly degradable

Hydrocarbons, C3-4

Rapidly degradable

12.3. Bioaccumulative potential

PROPAN-2-OL

Partition coefficient: n-octanol/water	0,05

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1950

14.2. UN proper shipping name

ADR / RID:	AEROSOLS
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

ADR / RID: Class: 2 Label: 2.1



IMDG: Class: 2 Label: 2.1



IATA: Class: 2 Label: 2.1



14.4. Packing group

ADR / RID, IMDG, IATA: -

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: --	Limited Quantities: 1 L	Tunnel restriction code: (D)
	Special provision: 190, 327, 344, 625		
IMDG:	EMS: F-D, S-U	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 150 Kg	Packaging instructions: 203
	Pass.:	Maximum quantity: 75 Kg	Packaging instructions: 203
	Special provision:	A145, A167, A802	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P3a

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Contained substance

Point 75 PROPAN-2-OL REACH Reg.: 01-2119457558-25

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

#didecyldimethylammonium chloride

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

PROPAN-2-OL

Didecyldimethylammonium chloride

SECTION 16. Other information

This Safety Data Sheet was prepared on the basis of the information contained in the SDS (Rev. 1 of 21/10/2020) of the supplier of the mixture

TEXT OF HAZARD (H) INDICATIONS MENTIONED IN SECTION 2-3 OF THE SHEET:

Flam. Gas 1A	Flammable gas, category 1A
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Flam. Liq. 2	Flammable liquid, category 2
Press. Gas (Liq.)	Liquefied gas
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1B	Skin corrosion, category 1B
Eye Irrit. 2	Eye irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate

- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

NOTE FOR USERS:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property.
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.
Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.
Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

CHANGES TO PREVIOUS REVIEW:

The following sections were modified:
03 / 15.

Emergency telephone numbers

For urgent safety information call the Anti-Poison Center of your country:

	COUNTRY	CUSTOMER SERVICE NR.	ANTI-POISON CENTER NR.
	AUSTRIA	(0043) 050 6700 2111	(0043) 01 406 43 43
	BELGIUM	(0032) 02 263 3333	(0032) 070 245 245
	BULGARIA	(00359) 0700 100 68	(00359) 2 9154 378 / (00359) 887 435 325
	CROATIA	(00385) 0130 40 333	(00385) 1 2348 342
	CZECK REP.	(00420) 222 525 222	(00420) 224 919 293
	DENEMARK	(0045) 448 802 22	(0045) 8212 1212
	FINLAND	(09) 61336 235	(09) 471977
	FRANCE	(0033) 09 69 39 1234	(0033) 01 4542 5959
	GERMAN	(0049) 0711 93533655	(0049) 0761 19240
	GREECE	(0030) 210 7000 500	(0030) 210 779 3777
	HOLLAND	(0031) 076 5306400	National Poisons Information Service (NPIS): (0031) 088 755 8000 *For Healthcare Professionals Only*
	HUNGARY	(0036) 1 999 5000	(0036) 802 011 99
	IRELAND	(00353) 0818 313 413	(00353) 1 809 2166
	ITALY	(0039) 02 20 30	(0039) 66 101 029
	NORWAY	(0047) 227 82580	(0047) 225 913 00
	POLAND	(0048) 22 244 1000	(0048) 124 119 999
	PORTUGAL	(00351) 707 203 204	(00351) 800 250 250
	ROMANIAN	(0040) 021 9914	(0040) 213 183 606
	SERBIA	(00381) 11 30 65 674	(00381) 11 3608 440
	SLOVAKIA	(00420) 222 525 222	(00421) 2 5477 4166
	SPAIN	(0034) 932 382 355	(0034) 91 562 0420
	SWEDEN	(0046) 0771 751570	(0046) 010 456 6700; 112 (national callers)
	SWISS	(0041) 0848 801 001	(0041) 44 251 51 51 (dial 145)
	UK	(0044) 03448 224 224	National Poisons Information Service (NPIS): (0044) 344 892 0111 *For Healthcare Professionals Only*
	UCRAIN	(0038) 0 800 30 20 30	(00380) 44 258 4773