

## **W9I MW261 N**

12NC/Fx: 859991631570

## GTIN (EAN) code: 8003437396625

| DIMENSION  | MEAS  | URE             |
|--|-------|-----------------|
| OVERALL CABINET  |       |                 |
| MIN Height of the wall cabinet niche, including all required space for installation or ventilation | 0     | mm              |
| MIN Height of the tall cabinet niche, including all required space for installation or ventilation | 450   | mm              |
| MIN Height of the base cabinet niche, including all required space for installation or ventilation | 450   | mm              |
| MAX Height of the wall cabinet niche, including all required space for installation or ventilation | 0     | mm              |
| MAX Height of the tall cabinet niche, including all required space for installation or ventilation | 453   | mm              |
| MAX Height of the base cabinet niche, including all required space for installation or ventilation | 1 453 | mm              |
| MIN Width of the wall cabinet niche, including all required space for installation or ventilation  | 0     | mm              |
| MIN Width of the tall cabinet niche, including all required space for installation or ventilation  | 560   | mm              |
| MIN Width of the base cabinet niche, including all required space for installation or ventilation  | 560   | mm              |
| MAX Width of the wall cabinet niche, including all required space for installation or ventilation  | 0     | mm              |
| MAX Width of the tall cabinet niche, including all required space for installation or ventilation  | 568   | mm              |
| MAX Width of the base cabinet niche, including all required space for installation or ventilation  | 568   | mm              |
| MIN Depth of the wall cabinet niche, including all required space for installation or ventilation  | 0     | mm              |
| MIN Depth of the tall cabinet niche, including all required space for installation or ventilation  | 550   | mm              |
| MIN Depth of the base cabinet niche, including all required space for installation or ventilation  | 550   | mm              |
| Space in front, which is required to install bottom trim   | 8     | mm              |
| Indicates whether a ventilation opening is needed or not. Default is "N"                           | No    |                 |
| WALL CABINET (vent-shaft incoming)   |       |                 |
| Indicates the position of the freespace for the inbound airflow (wall cabinet)                     | -     |                 |
| Minimum space or inbound ventilation (wall cabinet)  | 0     | mm              |
| Minimum area for inbound ventilation cavity (wall cabinet)   | 0     | cm <sup>2</sup> |
| WALL CABINET (vent-shaft outgoing)   |       |                 |
| Indicates the position of the freespace for the outbound airflow (wall cabinet)                    | -     |                 |
| Minimum space or outbound ventilation (wall cabinet)   | 0     | mm              |
| Minimum area for outbound ventilation cavity (wall cabinet)  | 0     | cm <sup>2</sup> |
| TALL CABINET (vent-shaft incoming)   |       |                 |
| Indicates the position of the freespace for the inbound airflow (tall cabinet)                     | -     |                 |
| Minimum space for inbound ventilation (tall cabinet)   | 0     | mm              |
| Minimum area for inbound ventilation cavity (tall cabinet)   | 0     | cm <sup>2</sup> |
| TALL CABINET (vent-shaft outgoing)   |       |                 |
| Indicates the position of the freespace for the outbound airflow (tall cabinet)                    | -     |                 |
| Minimum space for outbound ventilation (tall cabinet)  | 0     | mm              |
| Minimum area for outbound ventilation cavity (tall cabinet)  | 0     | cm <sup>2</sup> |
| BASE CABINET (vent-shaft incoming)   |       |                 |
| Indicates the position of the freespace for the inbound airflow (base cabinet)                     | -     |                 |
| Minimum space for inbound ventilation (base cabinet)   | 0     | mm              |
| Minimum area for inbound ventilation cavity (base cabinet)   | 0     | cm <sup>2</sup> |
| BASE CABINET (vent-shaft outgoing)   |       |                 |
| Indicates the position of the freespace for the outbound airflow (base cabinet)                    | -     |                 |
| Minimum space for outbound ventilation (base cabinet)  | 0     | mm              |
| Minimum area for outbound ventilation cavity (base cabinet)  | 0     | cm <sup>2</sup> |

| APPLIANCE   |     |    |
|---|-----|----|
| I laight of the front   |     |    |
| Height of the front   | 455 | mm |
| Width of the front  | 595 | mm |
| Depth of the front  | 20  | mm |
| Maximum depth all protruding elements, e.g. handles, controls   | 0   | mm |
| Lateral clearance between front edge and most protruding elements which avoid to open a neighbour front more than 90 degrees    | 0   | mm |
| Projection of front in relation to housing of appliance   | 10  | mm |
| Projection of front in relation to bearing area of the appliance. Taken at minimum height of appliance, if height is adjustable | 0   | mm |
| When product panel is missing, set to 0   | 95  | mm |
| Space in front, which is required to guarantee full operability. The most protruding part gives this dimension                  | 348 | mm |
| Height from bearing area of appliances and lower handle   | 0   | mm |
| Frontal handle thickness  | 0   | mm |
| Frontal handle width  | 0   | mm |
| MIN Height of the product body  | 447 | mm |
| MAX Height of the product body  | 447 | mm |
| Width of the product body   | 553 | mm |
| Depth of the product body   | 535 | mm |
| Full depth of product excluding protruding interface elements   | 554 | mm |
| Minimum height from bottom line hood to top line air outlet   | 0   | mm |
| Maximum height from bottom line hood to top line air outlet   | 0   | mm |
| Diameter minimum air outlet   | 0   | mm |
| Diameter maximum air outlet   | 0   | mm |
| Indicates measure between center of air outlet hole and rear wall   | 0   | mm |
| Projection of the rear flap in relation to bearing area   | 0   | mm |
| Height tube connection for air outlet   | 0   | mm |
| Appliance can be used as base for other appliances from the same manufacturer. Default is "No"                                  | -   |    |
| Appliance Flap door   |     |    |
| Projection of the opened flap in relation to bearing area   | 6   | mm |
| Maximum angle when flap door is opened totally  | 85  | mm |
| Appliance Side swing door   |     |    |
| Lateral projection of front incl. controls when door is opened totaly. At the side where the hinge is mounted                   | 0   | mm |
| Lateral projection of opened front at the side where the hinge is fixed   | 0   | mm |
| Maximum angle when door is opened totally   | 0   | mm |
| Appliance other   |     |    |
| Depth from front end of the niche to the front end of the freespace of the retrace  | 140 | mm |
| Height from niche to bottom end of freespace for the retrace  | 391 | mm |