
## **AKZ9 6220 IX**

12NC: 859991530410

GTIN (EAN) code: 8003437833816







Product group Oven Commercial code AKZ9 6220 IX Main colour of product Minoxc Construction type Built-in Type of control Mechanical and electronic Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 1 Integrated Cleaning system Hydrolytic Grids of the cavity 1 Irrays 2	MAIN FEATURES		
Main colour of product Construction type Built-in Type of control Type of control Type of control settings Are any hobs controls integrated? Automatic programmes Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Depth with open door 90 degree (mm) Height of the product Sp5 Width of the product Minimum niche width Niche depth No Net weight (kg) Usable volume (of cavity) Type of control Built-in Mechanical and electronic  No No No Depth wind of hobs can be controlled?	Product group	0ven	
Construction type Type of control  Type of control  Type of control settings Are any hobs controls integrated?  Which kind of hobs can be controlled?  Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  Sp5  Width of the product  Minimum niche height  Minimum niche width  No  Net weight (kg)  Usable volume (of cavity)  Tippe of control  Mechanical and electronic  Food  No  No  Pood  Pust yes  No  Depth with open door 90 degree (mm)	Commercial code	AKZ9 6220 IX	
Type of control  Type of control settings  Are any hobs controls integrated?  Which kind of hobs can be controlled?  Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  Depth of the product  Mechanical and electronic  Yes  Current (A)  16  Voltage (V)  220-240  Frequency (Hz)  Sol/60  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  -  Height of the product  595  Width of the product  595  Depth of the product  564  Minimum niche height  0  Minimum niche width  0  Net weight (kg)  33  Usable volume (of cavity)  Trigonal and electronic  O  Mechanical and electronic  O  Notage (V)  73  Integrated Cleaning system  Hydrolytic  Grids of the cavity  1	Main colour of product	Инокс	
Type of control  Type of control settings  Are any hobs controls integrated?  Which kind of hobs can be controlled?  Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  Sp5  Width of the product  Minimum niche height  No  Net weight (kg)  Usable volume (of cavity)  Integrated Cleaning system  No  No  Poph vind control electronic  electronic  No  No  Pus  electronic  1  electronic  PNo  16  No  16  No  16  Voltage (V)  220-240  Frequency (Hz)  50/60  220-240  Frequency (Hz)  50/60  10  10  10  10  10  10  10  10  10	Construction type	Built-in	
Type of control settings  Are any hobs controls integrated?  No  Which kind of hobs can be controlled?  Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  Width of the product  Depth of the product  Minimum niche height  No  No  No  No  No  No  No  No  No  N	Type of control	Mechanical and	
Are any hobs controls integrated?  Which kind of hobs can be controlled?  Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  595  Width of the product  595  Depth of the product  Minimum niche height  O  Niche depth  No  Net weight (kg)  Jsable volume (of cavity)  Integrated Cleaning system  No  Hydrolytic  Grids of the cavity  1		electronic	
Which kind of hobs can be controlled?  Automatic programmes  Yes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  595  Width of the product  595  Width of the product  595  Depth of the product  564  Minimum niche height  0  Niche depth  No  Net weight (kg)  33  Usable volume (of cavity)  Integrated Cleaning system  Hydrolytic  Grids of the cavity  1	Type of control settings	-	
Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  595  Width of the product  595  Depth of the product  564  Minimum niche height  0  Niche depth  No  Net weight (kg)  33  Usable volume (of cavity)  Integrated Cleaning system  Yes  Yes  16  No  16  No  10  No  10  10  10  10  10  10  10  10  10  1	Are any hobs controls integrated?	No	
Current (A)         16           Voltage (V)         220-240           Frequency (Hz)         50/60           Length of Electrical Supply Cord (cm)         90           Plug type         No           Depth with open door 90 degree (mm)         -           Height of the product         595           Width of the product         595           Depth of the product         564           Minimum niche height         0           Miche depth         0           Niche depth         0           Net weight (kg)         33           Usable volume (of cavity)         73           Integrated Cleaning system         Hydrolytic           Grids of the cavity         1	Which kind of hobs can be controlled?	-	
Voltage (V) 220-240  Frequency (Hz) 50/60  Length of Electrical Supply Cord (cm) 90  Plug type No  Depth with open door 90 degree (mm)  Height of the product 595  Width of the product 595  Depth of the product 564  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 33  Usable volume (of cavity) 73  Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Automatic programmes	Yes	
Frequency (Hz) 50/60  Length of Electrical Supply Cord (cm) 90  Plug type No  Depth with open door 90 degree (mm)  Height of the product 595  Width of the product 595  Depth of the product 564  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 33  Usable volume (of cavity) 73  Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Current (A)	16	
Length of Electrical Supply Cord (cm)  Plug type  No  Depth with open door 90 degree (mm)  Height of the product  595  Width of the product  595  Depth of the product  564  Minimum niche height  0  Minimum niche width  Niche depth  Net weight (kg)  Usable volume (of cavity)  Integrated Cleaning system  Fig. 10  Fig. 20  Fig.	Voltage (V)	220-240	
Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 1	Frequency (Hz)	50/60	
Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  Depth of the product  S95  Depth of the product  Minimum niche height  Minimum niche width  Niche depth  Net weight (kg)  Usable volume (of cavity)  Integrated Cleaning system  Grids of the cavity  1	Length of Electrical Supply Cord (cm)	90	
Height of the product 595  Width of the product 595  Depth of the product 564  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 33  Usable volume (of cavity) 73  Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Plug type	No	
Width of the product 595  Depth of the product 564  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 33  Usable volume (of cavity) 73  Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Depth with open door 90 degree (mm)	-	
Depth of the product 564  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 33  Usable volume (of cavity) 73  Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Height of the product	595	
Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)33Usable volume (of cavity)73Integrated Cleaning systemHydrolyticGrids of the cavity1	Width of the product	595	
Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 1	Depth of the product	564	
Niche depth 0  Net weight (kg) 33  Usable volume (of cavity) 73  Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Minimum niche height	0	
Net weight (kg)33Usable volume (of cavity)73Integrated Cleaning systemHydrolyticGrids of the cavity1	Minimum niche width	0	
Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 1	Niche depth	0	
Integrated Cleaning system Hydrolytic  Grids of the cavity 1	Net weight (kg)	33	
Grids of the cavity 1	Usable volume (of cavity)	73	
·	Integrated Cleaning system	Hydrolytic	
Trays 2	Grids of the cavity	1	
	Trays	2	

TECHNICAL FEATURES	
Timer	-
Time control	Electronic
Time-setting options	Start and Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	1
Position of interior lights of the cavity	Rear
Oven guides of the cavity	Telescopic
Probe of the cavity	No

ENERGY LABEL	
Energy input	Electric
Type of energy of the cavity	електрически
Energy efficiency class - NEW (2010/30/EU)	A+
Energy consumption per cycle conventional - NEW (2010/30/EU)	0.91
Energy consumption per cycle forced air convection - NEW (2010/30/EU)	0.70