
## **IO 233 B UK**

12NC: F170507

GTIN (EAN) code: 8050147705070







Product group  Commercial code  ID 233 B UK  Main colour of product  Black  Construction type  Built-in  Type of control  Mechanical  Type of control settings  Are any hobs controls integrated?  No  Which kind of hobs can be controlled?  Automatic programmes  No  Current (A)  13  Voltage (V)  Frequency (Hz)  Length of electrical supply cord (cm)  Plug type  UK  Depth with open door 90 degree (mm)  Height of the product  595  Width of the product  595  Width of the product  595  Depth of the product  595  Minimum niche height  0  Minimum niche width  Niche depth  No  Net weight (kg)  25.3  Usable volume (of cavity)  Integrated Cleaning system  No  Grids of the cavity  2  Trays	MAIN FEATURES	
Main colour of productBlackConstruction typeBuilt-inType of controlMechanicalType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesNoCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of electrical supply cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)25.3Usable volume (of cavity)66Integrated Cleaning systemNoGrids of the cavity2	Product group	0ven
Construction type Type of control Type of control Type of control settings Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes No Current (A) 13 Voltage (V) Frequency (Hz) Length of electrical supply cord (cm) Plug type UK Depth with open door 90 degree (mm)	Commercial code	IO 233 B UK
Type of control Type of control settings Are any hobs controls integrated? No Which kind of hobs can be controlled? Automatic programmes No Current (A) 13 Voltage (V) 220-240 Frequency (Hz) Length of electrical supply cord (cm) Plug type UK Depth with open door 90 degree (mm)	Main colour of product	Black
Type of control settings  Are any hobs controls integrated?  Which kind of hobs can be controlled?  Automatic programmes  No  Current (A)  Voltage (V)  Frequency (Hz)  Length of electrical supply cord (cm)  Plug type  UK  Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  S95  Width of the product  Minimum niche height  O  Net weight (kg)  Usable volume (of cavity)  Integrated Cleaning system  No  No  No  Which kind of hobs can be controlled?   No  No  Current (A)  13  Voltage (V)  220-240  Frequency (Hz)  50/60  Length of electrical supply cord (cm)  100  Plug type  UK  Depth with open door 90 degree (mm)   Height of the product  595  Width of the product  595  Depth of the product  551  Minimum niche width  O  Not weight (kg)  25.3  Usable volume (of cavity)  Integrated Cleaning system  No  Grids of the cavity	Construction type	Built-in
Are any hobs controls integrated?  Which kind of hobs can be controlled?  Automatic programmes  No  Current (A)  Voltage (V)  Frequency (Hz)  Length of electrical supply cord (cm)  Plug type  UK  Depth with open door 90 degree (mm)  Height of the product  595  Width of the product  595  Width of the product  595  Depth of the product  595  Minimum niche height  0  Niche depth  No  Niche depth  O  Net weight (kg)  25.3  Usable volume (of cavity)  Integrated Cleaning system  No  Grids of the cavity	Type of control	Mechanical
Which kind of hobs can be controlled?  Automatic programmes  No Current (A)  Voltage (V)  Frequency (Hz)  Length of electrical supply cord (cm)  Plug type  UK  Depth with open door 90 degree (mm)  Height of the product  595  Width of the product  595  Width of the product  595  Depth of the product  595  Minimum niche height  0  Niche depth  No Niche depth  O Net weight (kg)  25.3  Usable volume (of cavity)  Integrated Cleaning system  No Grids of the cavity	Type of control settings	-
Automatic programmes  Current (A)  Voltage (V)  Frequency (Hz)  Length of electrical supply cord (cm)  Plug type  UK  Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  595  Width of the product  595  Depth of the product  595  Minimum niche height  0  Niche depth  Niche depth  Net weight (kg)  25.3  Usable volume (of cavity)  Grids of the cavity  2	Are any hobs controls integrated?	No
Current (A)         13           Voltage (V)         220-240           Frequency (Hz)         50/60           Length of electrical supply cord (cm)         100           Plug type         UK           Depth with open door 90 degree (mm)         -           Height of the product         595           Width of the product         595           Depth of the product         551           Minimum niche height         0           Minimum niche width         0           Niche depth         0           Net weight (kg)         25.3           Usable volume (of cavity)         66           Integrated Cleaning system         No           Grids of the cavity         2	Which kind of hobs can be controlled?	-
Voltage (V) 220-240  Frequency (Hz) 50/60  Length of electrical supply cord (cm) 100  Plug type UK  Depth with open door 90 degree (mm)  Height of the product 595  Width of the product 595  Depth of the product 595  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 25.3  Usable volume (of cavity) 66  Integrated Cleaning system No  Grids of the cavity 2	Automatic programmes	No
Frequency (Hz) 50/60  Length of electrical supply cord (cm) 100  Plug type UK  Depth with open door 90 degree (mm)  Height of the product 595  Width of the product 595  Depth of the product 551  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 25.3  Usable volume (of cavity) 66  Integrated Cleaning system No  Grids of the cavity 2	Current (A)	13
Length of electrical supply cord (cm)  Plug type  UK  Depth with open door 90 degree (mm)  Height of the product  595  Width of the product  595  Depth of the product  551  Minimum niche height  0  Minimum niche width  0  Niche depth  0  Net weight (kg)  25.3  Usable volume (of cavity)  Integrated Cleaning system  No  Grids of the cavity  2	Voltage (V)	220-240
Plug type  Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  Depth of the product  Minimum niche height  Niche depth  Net weight (kg)  UK  UK  Depth with open door 90 degree (mm)	Frequency (Hz)	50/60
Depth with open door 90 degree (mm)  Height of the product  S95  Width of the product  Depth of the product  S95  Depth of the product  Minimum niche height  Minimum niche width  Niche depth  Net weight (kg)  Usable volume (of cavity)  Integrated Cleaning system  No  Grids of the cavity  Commonwealth of the product of the cavity  Commonwealth of the product of the cavity  Depth of the product	Length of electrical supply cord (cm)	100
Height of the product 595  Width of the product 595  Depth of the product 551  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 25.3  Usable volume (of cavity) 66  Integrated Cleaning system No  Grids of the cavity 2	Plug type	UK
Width of the product 595  Depth of the product 551  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 25.3  Usable volume (of cavity) 66  Integrated Cleaning system No  Grids of the cavity 2	Depth with open door 90 degree (mm)	-
Depth of the product 551  Minimum niche height 0  Minimum niche width 0  Niche depth 0  Net weight (kg) 25.3  Usable volume (of cavity) 66  Integrated Cleaning system No  Grids of the cavity 2	Height of the product	595
Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)25.3Usable volume (of cavity)66Integrated Cleaning systemNoGrids of the cavity2	Width of the product	595
Minimum niche width 0 Niche depth 0 Net weight (kg) 25.3 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 2	Depth of the product	551
Niche depth 0  Net weight (kg) 25.3  Usable volume (of cavity) 66  Integrated Cleaning system No  Grids of the cavity 2	Minimum niche height	0
Net weight (kg)25.3Usable volume (of cavity)66Integrated Cleaning systemNoGrids of the cavity2	Minimum niche width	0
Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 2	Niche depth	0
Integrated Cleaning system No Grids of the cavity 2	Net weight (kg)	25.3
Grids of the cavity 2	Usable volume (of cavity)	66
· · · · · · · · · · · · · · · · · · ·	Integrated Cleaning system	No
Trays 1	Grids of the cavity	2
	Trays	1

TECHNICAL FEATURES	
Timer	Yes
Time control	Mechanical
Time-setting options	Start and Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	1
Position of interior lights of the cavity	Front left
Oven guides of the cavity	Wall-embedded
Probe of the cavity	No

PERFORMANCES		
Energy input	Electric	
Type of energy of the cavity	Electricity	
Energy efficiency class - NEW (2010/30/EU)	A	
Energy consumption per cycle conventional - NEW (2010/30/EU)	0.00	
Energy consumption per cycle forced air convection - NEW (2010/30/EU)	0.79	